



Warranty Procedure

All IB-ER products are under the warranty to be free of defects in materials and workmanship upon purchase.

The warranty applies only to faults in material and workmanship if the product is used according to the specified conditions and for the intended purposes.

The products which has been damaged due to:

- Incorrect handling or an overuse
- Incorrect prosthesis shaft or socket
- Using different way than it is intended way of use
- Using the applications beyond design specification
- Faulty application on prosthesis

Are not covered by the warranty procedure.

The products should be applied by certificated Prosthetist or Certificated Prosthetist & Orthotists.

This warranty holds the responsibility only against the company which has been purchased and had invoiced for aforementioned product, rather than the third-party companies or end users.

Under the condition that the specified warranty terms are met, IB-ER company holds the responsibility to repair or replace the product which is topic to the circumstances, during the warranty period of the product.

<i>Warranty List - 2025</i>		<i>Warranty Duration after the Invoice date (months)</i>
<i>Carbon Feet and Foot Shell</i>		
ITEM CODE	DESCRIPTION	
W23-CAT1	Winged Carbon Foot, Size 23 Category 1	24
W23-CAT2	Winged Carbon Foot, Size 23 Category 2	24
W23-CAT3	Winged Carbon Foot, Size 23 Category 3	24
W23-CAT4	Winged Carbon Foot, Size 23 Category 4	24
W23-CAT5	Winged Carbon Foot, Size 23 Category 5	24
W24-CAT1	Winged Carbon Foot, Size 24 Category 1	24
W24-CAT2	Winged Carbon Foot, Size 24 Category 2	24
W24-CAT3	Winged Carbon Foot, Size 24 Category 3	24
W24-CAT4	Winged Carbon Foot, Size 24 Category 4	24
W24-CAT5	Winged Carbon Foot, Size 24 Category 5	24
W25-CAT1	Winged Carbon Foot, Size 25 Category 1	24
W25-CAT2	Winged Carbon Foot, Size 25 Category 2	24
W25-CAT3	Winged Carbon Foot, Size 25 Category 3	24
W25-CAT4	Winged Carbon Foot, Size 25 Category 4	24
W25-CAT5	Winged Carbon Foot, Size 25 Category 5	24
W26-CAT1	Winged Carbon Foot, Size 26 Category 1	24
W26-CAT2	Winged Carbon Foot, Size 26 Category 2	24
W26-CAT3	Winged Carbon Foot, Size 26 Category 3	24
W26-CAT4	Winged Carbon Foot, Size 26 Category 4	24
W26-CAT5	Winged Carbon Foot, Size 26 Category 5	24
W27-CAT1	Winged Carbon Foot, Size 27 Category 1	24
W27-CAT2	Winged Carbon Foot, Size 27 Category 2	24
W27-CAT3	Winged Carbon Foot, Size 27 Category 3	24
W27-CAT4	Winged Carbon Foot, Size 27 Category 4	24
W27-CAT5	Winged Carbon Foot, Size 27 Category 5	24
W28-CAT1	Winged Carbon Foot, Size 28 Category 1	24
W28-CAT2	Winged Carbon Foot, Size 28 Category 2	24
W28-CAT3	Winged Carbon Foot, Size 28 Category 3	24
W28-CAT4	Winged Carbon Foot, Size 28 Category 4	24
W28-CAT5	Winged Carbon Foot, Size 28 Category 5	24
W29-CAT1	Winged Carbon Foot, Size 29 Category 1	24
W29-CAT2	Winged Carbon Foot, Size 29 Category 2	24
W29-CAT3	Winged Carbon Foot, Size 29 Category 3	24
W29-CAT4	Winged Carbon Foot, Size 29 Category 4	24
W29-CAT5	Winged Carbon Foot, Size 29 Category 5	24
Short23-CAT1	Short Carbon Foot, Size 23 Category 1	24
Short23-CAT2	Short Carbon Foot, Size 23 Category 2	24
Short23-CAT3	Short Carbon Foot, Size 23 Category 3	24
Short23-CAT4	Short Carbon Foot, Size 23 Category 4	24
Short23-CAT5	Short Carbon Foot, Size 23 Category 5	24
Short24-CAT1	Short Carbon Foot, Size 24 Category 1	24
Short24-CAT2	Short Carbon Foot, Size 24 Category 2	24
Short24-CAT3	Short Carbon Foot, Size 24 Category 3	24
Short24-CAT4	Short Carbon Foot, Size 24 Category 4	24
Short24-CAT5	Short Carbon Foot, Size 24 Category 5	24
Short25-CAT1	Short Carbon Foot, Size 25 Category 1	24
Short25-CAT2	Short Carbon Foot, Size 25 Category 2	24

Short25-CAT3	Short Carbon Foot, Size 25 Category 3	24
Short25-CAT4	Short Carbon Foot, Size 25 Category 4	24
Short25-CAT5	Short Carbon Foot, Size 25 Category 5	24
Short26-CAT1	Short Carbon Foot, Size 26 Category 1	24
Short26-CAT2	Short Carbon Foot, Size 26 Category 2	24
Short26-CAT3	Short Carbon Foot, Size 26 Category 3	24
Short26-CAT4	Short Carbon Foot, Size 26 Category 4	24
Short26-CAT5	Short Carbon Foot, Size 26 Category 5	24
Short27-CAT1	Short Carbon Foot, Size 27 Category 1	24
Short27-CAT2	Short Carbon Foot, Size 27 Category 2	24
Short27-CAT3	Short Carbon Foot, Size 27 Category 3	24
Short27-CAT4	Short Carbon Foot, Size 27 Category 4	24
Short27-CAT5	Short Carbon Foot, Size 27 Category 5	24
Short28-CAT1	Short Carbon Foot, Size 28 Category 1	24
Short28-CAT2	Short Carbon Foot, Size 28 Category 2	24
Short28-CAT3	Short Carbon Foot, Size 28 Category 3	24
Short28-CAT4	Short Carbon Foot, Size 28 Category 4	24
Short28-CAT5	Short Carbon Foot, Size 28 Category 5	24
Short29-CAT1	Short Carbon Foot, Size 29 Category 1	24
Short29-CAT2	Short Carbon Foot, Size 29 Category 2	24
Short29-CAT3	Short Carbon Foot, Size 29 Category 3	24
Short29-CAT4	Short Carbon Foot, Size 29 Category 4	24
Short29-CAT5	Short Carbon Foot, Size 29 Category 5	24
Supreme24-CAT1	Supreme Carbon Foot, Size 24 Category 1	24
Supreme24-CAT2	Supreme Carbon Foot, Size 24 Category 2	24
Supreme24-CAT3	Supreme Carbon Foot, Size 24 Category 3	24
Supreme24-CAT4	Supreme Carbon Foot, Size 24 Category 4	24
Supreme24-CAT5	Supreme Carbon Foot, Size 24 Category 5	24
Supreme25-CAT1	Supreme Carbon Foot, Size 25 Category 1	24
Supreme25-CAT2	Supreme Carbon Foot, Size 25 Category 2	24
Supreme25-CAT3	Supreme Carbon Foot, Size 25 Category 3	24
Supreme25-CAT4	Supreme Carbon Foot, Size 25 Category 4	24
Supreme25-CAT5	Supreme Carbon Foot, Size 25 Category 5	24
Supreme26-CAT1	Supreme Carbon Foot, Size 26 Category 1	24
Supreme26-CAT2	Supreme Carbon Foot, Size 26 Category 2	24
Supreme26-CAT3	Supreme Carbon Foot, Size 26 Category 3	24
Supreme26-CAT4	Supreme Carbon Foot, Size 26 Category 4	24
Supreme26-CAT5	Supreme Carbon Foot, Size 26 Category 5	24
Supreme27-CAT1	Supreme Carbon Foot, Size 27 Category 1	24
Supreme27-CAT2	Supreme carbon Foot, Size 27 Category 2	24
Supreme27-CAT3	Supreme Carbon Foot, Size 27 Category 3	24
Supreme27-CAT4	Supreme Carbon Foot, Size 27 Category 4	24
Supreme27-CAT5	Supreme Carbon Foot, Size 27 Category 5	24
Supreme28-CAT1	Supreme Carbon Foot, Size 28 Category 1	24
Supreme28-CAT2	Supreme Carbon Foot, Size 28 Category 2	24
Supreme28-CAT3	Supreme Carbon Foot, Size 28 Category 3	24
Supreme28-CAT4	Supreme Carbon Foot, Size 28 Category 4	24
Supreme28-CAT5	Supreme Carbon Foot, Size 28 Category 5	24
VAC23-CAT1	VACX Carbon Foot, Size 23 Category 1	24
VAC23-CAT2	VACX Carbon Foot, Size 23 Category 2	24

VAC23-CAT3	VACX Carbon Foot, Size 23 Category 3	24
VAC23-CAT4	VACX Carbon Foot, Size 23 Category 4	24
VAC24-CAT1	VACX Carbon Foot, Size 24 Category 1	24
VAC24-CAT2	VACX Carbon Foot, Size 24 Category 2	24
VAC24-CAT3	VACX Carbon Foot, Size 24 Category 3	24
VAC24-CAT4	VACX Carbon Foot, Size 24 Category 4	24
VAC25-CAT1	VACX Carbon Foot, Size 25 Category 1	24
VAC25-CAT2	VACX Carbon Foot, Size 25 Category 2	24
VAC25-CAT3	VACX Carbon Foot, Size 25 Category 3	24
VAC25-CAT4	VACX Carbon Foot, Size 25 Category 4	24
VAC26-CAT1	VACX Carbon Foot, Size 26 Category 1	24
VAC26-CAT2	VACX Carbon Foot, Size 26 Category 2	24
VAC26-CAT3	VACX Carbon Foot, Size 26 Category 3	24
VAC26-CAT4	VACX Carbon Foot, Size 26 Category 4	24
VAC27-CAT1	VACX Carbon Foot, Size 27 Category 1	24
VAC27-CAT2	VACX Carbon Foot, Size 27 Category 2	24
VAC27-CAT3	VACX Carbon Foot, Size 27 Category 3	24
VAC27-CAT4	VACX Carbon Foot, Size 27 Category 4	24
VAC28-CAT1	VACX Carbon Foot, Size 28 Category 1	24
VAC28-CAT2	VACX Carbon Foot, Size 28 Category 2	24
VAC28-CAT3	VACX Carbon Foot, Size 28 Category 3	24
VAC28-CAT4	VACX Carbon Foot, Size 28 Category 4	24
ABSORB23-CAT1	ABSORBX Carbon Foot, Size 23 Category 1	24
ABSORB23-CAT2	ABSORBX Carbon Foot, Size 23 Category 2	24
ABSORB23-CAT3	ABSORBX Carbon Foot, Size 23 Category 3	24
ABSORB23-CAT4	ABSORBX Carbon Foot, Size 23 Category 4	24
ABSORB24-CAT1	ABSORBX Carbon Foot, Size 24 Category 1	24
ABSORB24-CAT2	ABSORBX Carbon Foot, Size 24 Category 2	24
ABSORB24-CAT3	ABSORBX Carbon Foot, Size 24 Category 3	24
ABSORB24-CAT4	ABSORBX Carbon Foot, Size 24 Category 4	24
ABSORB25-CAT1	ABSORBX Carbon Foot, Size 25 Category 1	24
ABSORB25-CAT2	ABSORBX Carbon Foot, Size 25 Category 2	24
ABSORB25-CAT3	ABSORBX Carbon Foot, Size 25 Category 3	24
ABSORB25-CAT4	ABSORBX Carbon Foot, Size 25 Category 4	24
ABSORB26-CAT1	ABSORBX Carbon Foot, Size 26 Category 1	24
ABSORB26-CAT2	ABSORBX Carbon Foot, Size 26 Category 2	24
ABSORB26-CAT3	ABSORBX Carbon Foot, Size 26 Category 3	24
ABSORB26-CAT4	ABSORBX Carbon Foot, Size 26 Category 4	24
ABSORB27-CAT1	ABSORBX Carbon Foot, Size 27 Category 1	24
ABSORB27-CAT2	ABSORBX Carbon Foot, Size 27 Category 2	24
ABSORB27-CAT3	ABSORBX Carbon Foot, Size 27 Category 3	24
ABSORB27-CAT4	ABSORBX Carbon Foot, Size 27 Category 4	24
ABSORB28-CAT1	ABSORBX Carbon Foot, Size 28 Category 1	24
ABSORB28-CAT2	ABSORBX Carbon Foot, Size 28 Category 2	24
ABSORB28-CAT3	ABSORBX Carbon Foot, Size 28 Category 3	24
ABSORB28-CAT4	ABSORBX Carbon Foot, Size 28 Category 4	24
SW24-CAT1	Swipe Carbon Foot, Size 24 Category 1	24
SW24-CAT2	Swipe Carbon Foot, Size 24 Category 2	24
SW24-CAT3	Swipe Carbon Foot, Size 24 Category 3	24
SW24-CAT4	Swipe Carbon Foot, Size 24 Category 4	24

SW25-CAT1	Swipe Carbon Foot, Size 25 Category 1	24
SW25-CAT2	Swipe Carbon Foot, Size 25 Category 2	24
SW25-CAT3	Swipe Carbon Foot, Size 25 Category 3	24
SW25-CAT4	Swipe Carbon Foot, Size 25 Category 4	24
SW26-CAT1	Swipe Carbon Foot, Size 26 Category 1	24
SW26-CAT2	Swipe Carbon Foot, Size 26 Category 2	24
SW26-CAT3	Swipe Carbon Foot, Size 26 Category 3	24
SW26-CAT4	Swipe Carbon Foot, Size 26 Category 4	24
SW27-CAT1	Swipe Carbon Foot, Size 27 Category 1	24
SW27-CAT2	Swipe Carbon Foot, Size 27 Category 2	24
SW27-CAT3	Swipe Carbon Foot, Size 27 Category 3	24
SW27-CAT4	Swipe Carbon Foot, Size 27 Category 4	24
SW28-CAT1	Swipe Carbon Foot, Size 28 Category 1	24
SW28-CAT2	Swipe Carbon Foot, Size 28 Category 2	24
SW28-CAT3	Swipe Carbon Foot, Size 28 Category 3	24
SW28-CAT4	Swipe Carbon Foot, Size 28 Category 4	24
Symes23-CAT1	Symes Carbon Foot, Size 23 Category 1	24
Symes23-CAT2	Symes Carbon Foot, Size 23 Category 2	24
Symes23-CAT3	Symes Carbon Foot, Size 23 Category 3	24
Symes23-CAT4	Symes Carbon Foot, Size 23 Category 4	24
Symes23-CAT5	Symes Carbon Foot, Size 23 Category 5	24
Symes24-CAT1	Symes Carbon Foot, Size 24 Category 1	24
Symes24-CAT2	Symes Carbon Foot, Size 24 Category 2	24
Symes24-CAT3	Symes Carbon Foot, Size 24 Category 3	24
Symes24-CAT4	Symes Carbon Foot, Size 24 Category 4	24
Symes24-CAT5	Symes Carbon Foot, Size 24 Category 5	24
Symes25-CAT1	Symes Carbon Foot, Size 25 Category 1	24
Symes25-CAT2	Symes Carbon Foot, Size 25 Category 2	24
Symes25-CAT3	Symes Carbon Foot, Size 25 Category 3	24
Symes25-CAT4	Symes Carbon Foot, Size 25 Category 4	24
Symes25-CAT5	Symes Carbon Foot, Size 25 Category 5	24
Symes26-CAT1	Symes Carbon Foot, Size 26 Category 1	24
Symes26-CAT2	Symes Carbon Foot, Size 26 Category 2	24
Symes26-CAT3	Symes Carbon Foot, Size 26 Category 3	24
Symes26-CAT4	Symes Carbon Foot, Size 26 Category 4	24
Symes26-CAT5	Symes Carbon Foot, Size 26 Category 5	24
Symes27-CAT1	Symes Carbon Foot, Size 27 Category 1	24
Symes27-CAT2	Symes Carbon Foot, Size 27 Category 2	24
Symes27-CAT3	Symes Carbon Foot, Size 27 Category 3	24
Symes27-CAT4	Symes Carbon Foot, Size 27 Category 4	24
Symes27-CAT5	Symes Carbon Foot, Size 27 Category 5	24
Symes28-CAT1	Symes Carbon Foot, Size 28 Category 1	24
Symes28-CAT2	Symes Carbon Foot, Size 28 Category 2	24
Symes28-CAT3	Symes Carbon Foot, Size 28 Category 3	24
Symes28-CAT4	Symes Carbon Foot, Size 28 Category 4	24
Symes28-CAT5	Symes Carbon Foot, Size 28 Category 5	24
Symes29-CAT1	Symes Carbon Foot, Size 29 Category 1	24
Symes29-CAT2	Symes Carbon Foot, Size 29 Category 2	24
Symes29-CAT3	Symes Carbon Foot, Size 29 Category 3	24
Symes29-CAT4	Symes Carbon Foot, Size 29 Category 4	24

Symes29-CAT5	Symes Carbon Foot, Size 29 Category 5	24
FM23	FM Carbon Foot, Size 23	12
FM24	FM Carbon Foot, Size 24	12
FM25	FM Carbon Foot, Size 25	12
FM26	FM Carbon Foot, Size 26	12
FM27	FM Carbon Foot, Size 27	12
FM28	FM Carbon Foot, Size 28	12
AS-23L	Foot Shell Size 23 Left Beige Color	6
AS-23R	Foot Shell Size 23 Right Beige Color	6
AS-24L	Foot Shell Size 24 Left Beige Color	6
AS-24R	Foot Shell Size 24 Right Beige Color	6
AS-25L	Foot Shell Size 25 Left Beige Color	6
AS-25R	Foot Shell Size 25 Right Beige Color	6
AS-26L	Foot Shell Size 26 Left Beige Color	6
AS-26R	Foot Shell Size 26 Right Beige Color	6
AS-27L	Foot Shell Size 27 Left Beige Color	6
AS-27R	Foot Shell Size 27 Right Beige Color	6
AS-28L	Foot Shell Size 28 Left Beige Color	6
AS-28R	Foot Shell Size 28 Right Beige Color	6
AS-29L	Foot Shell Size 29 Left Beige Color	6
AS-29R	Foot Shell Size 29 Right Beige Color	6
AB-23L	Foot Shell Size 23 Left Brown Color	6
AB-23R	Foot Shell Size 23 Right Brown Color	6
AB-24L	Foot Shell Size 24 Left Brown Color	6
AB-24R	Foot Shell Size 24 Right Brown Color	6
AB-25L	Foot Shell Size 25 Left Brown Color	6
AB-25R	Foot Shell Size 25 Right Brown Color	6
AB-26L	Foot Shell Size 26 Left Brown Color	6
AB-26R	Foot Shell Size 26 Right Brown Color	6
AB-27L	Foot Shell Size 27 Left Brown Color	6
AB-27R	Foot Shell Size 27 Right Brown Color	6
AB-28L	Foot Shell Size 28 Left Brown Color	6
AB-28R	Foot Shell Size 28 Right Brown Color	6
AB-29L	Foot Shell Size 29 Left Brown Color	6
AB-29R	Foot Shell Size 29 Right Brown Color	6
LAS-23L	Low Profile Foot Shell Size 23 Left Beige Color	6
LAS-23R	Low Profile Foot Shell Size 23 Right Beige Color	6
LAS-24L	Low Profile Foot Shell Size 24 Left Beige Color	6
LAS-24R	Low Profile Foot Shell Size 24 Right Beige Color	6
LAS-25L	Low Profile Foot Shell Size 25 Left Beige Color	6
LAS-25R	Low Profile Foot Shell Size 25 Right Beige Color	6
LAS-26L	Low Profile Foot Shell Size 26 Left Beige Color	6
LAS-26R	Low Profile Foot Shell Size 26 Right Beige Color	6
LAS-27L	Low Profile Foot Shell Size 27 Left Beige Color	6
LAS-27R	Low Profile Foot Shell Size 27 Right Beige Color	6
LAS-28L	Low Profile Foot Shell Size 28 Left Beige Color	6
LAS-28R	Low Profile Foot Shell Size 28 Right Beige Color	6
LAS-29L	Low Profile Foot Shell Size 29 Left Beige Color	6
LAS-29R	Low Profile Foot Shell Size 29 Right Beige Color	6
LAB-23L	Low Profile Foot Shell Size 23 Left Brown Color	6

LAB-23R	Low Profile Foot Shell Size 23 Right Brown Color	6
LAB-24L	Low Profile Foot Shell Size 24 Left Brown Color	6
LAB-24R	Low Profile Foot Shell Size 24 Right Brown Color	6
LAB-25L	Low Profile Foot Shell Size 25 Left Brown Color	6
LAB-25R	Low Profile Foot Shell Size 25 Right Brown Color	6
LAB-26L	Low Profile Foot Shell Size 26 Left Brown Color	6
LAB-26R	Low Profile Foot Shell Size 26 Right Brown Color	6
LAB-27L	Low Profile Foot Shell Size 27 Left Brown Color	6
LAB-27R	Low Profile Foot Shell Size 27 Right Brown Color	6
LAB-28L	Low Profile Foot Shell Size 28 Left Brown Color	6
LAB-28R	Low Profile Foot Shell Size 28 Right Brown Color	6
LAB-29L	Low Profile Foot Shell Size 29 Left Brown Color	6
LAB-29R	Low Profile Foot Shell Size 29 Right Brown Color	6
FST	Foot Shell Removal Tool	24
S-CF	Carbon Foot Stocking	6
Prosthetic Foot		
E60-22L	Sach Foot Size 22 Left	6
E60-22R	Sach Foot Size 22 Right	6
E60-23L	Sach Foot Size 23 Left	6
E60-23R	Sach Foot Size 23 Right	6
E60-24L	Sach Foot Size 24 Left	6
E60-24R	Sach Foot Size 24 Right	6
E60-25L	Sach Foot Size 25 Left	6
E60-25R	Sach Foot Size 25 Right	6
E60-26L	Sach Foot Size 26 Left	6
E60-26R	Sach Foot Size 26 Right	6
E60-27L	Sach Foot Size 27 Left	6
E60-27R	Sach Foot Size 27 Right	6
E60-28L	Sach Foot Size 28 Left	6
E60-28R	Sach Foot Size 28 Right	6
E60-29L	Sach Foot Size 29 Left	6
E60-29R	Sach Foot Size 29 Right	6
E63-22L	Sach Foot Size 22 Left Brown Color	6
E63-22R	Sach Foot Size 22 Right Brown Color	6
E63-23L	Sach Foot Size 23 Left Brown Color	6
E63-23R	Sach Foot Size 23 Right Brown Color	6
E63-24L	Sach Foot Size 24 Left Brown Color	6
E63-24R	Sach Foot Size 24 Right Brown Color	6
E63-25L	Sach Foot Size 25 Left Brown Color	6
E63-25R	Sach Foot Size 25 Right Brown Color	6
E63-26L	Sach Foot Size 26 Left Brown Color	6
E63-26R	Sach Foot Size 26 Right Brown Color	6
E63-27L	Sach Foot Size 27 Left Brown Color	6
E63-27R	Sach Foot Size 27 Right Brown Color	6
E63-28L	Sach Foot Size 28 Left Brown Color	6
E63-28R	Sach Foot Size 28 Right Brown Color	6
E63-29L	Sach Foot Size 29 Left Brown Color	6
E63-29R	Sach Foot Size 29 Right Brown Color	6
E61-22L	Single Axis Foot Size 22 Left	6
E61-22R	Single Axis Foot Size 22 Right	6

E61-23L	Single Axis Foot Size 23 Left	6
E61-23R	Single Axis Foot Size 23 Right	6
E61-24L	Single Axis Foot Size 24 Left	6
E61-24R	Single Axis Foot Size 24 Right	6
E61-25L	Single Axis Foot Size 25 Left	6
E61-25R	Single Axis Foot Size 25 Right	6
E61-26L	Single Axis Foot Size 26 Left	6
E61-26R	Single Axis Foot Size 26 Right	6
E61-27L	Single Axis Foot Size 27 Left	6
E61-27R	Single Axis Foot Size 27 Right	6
E61-28L	Single Axis Foot Size 28 Left	6
E61-28R	Single Axis Foot Size 28 Right	6
E61-29L	Single Axis Foot Size 29 Left	6
E61-29R	Single Axis Foot Size 29 Right	6
E62-22L	Dynamic Foot Size 22 Left	6
E62-22R	Dynamic Foot Size 22 Right	6
E62-23L	Dynamic Foot Size 23 Left	6
E62-23R	Dynamic Foot Size 23 Right	6
E62-24L	Dynamic Foot Size 24 Left	6
E62-24R	Dynamic Foot Size 24 Right	6
E62-25L	Dynamic Foot Size 25 Left	6
E62-25R	Dynamic Foot Size 25 Right	6
E62-26L	Dynamic Foot Size 26 Left	6
E62-26R	Dynamic Foot Size 26 Right	6
E62-27L	Dynamic Foot Size 27 Left	6
E62-27R	Dynamic Foot Size 27 Right	6
E62-28L	Dynamic Foot Size 28 Left	6
E62-28R	Dynamic Foot Size 28 Right	6
E62-29L	Dynamic Foot Size 29 Left	6
E62-29R	Dynamic Foot Size 29 Right	6
E60-mika	Plastic Mika for Sach Foot and Dynamic Foot Adapters	6
E61cup-22	Plastic Cup for Single Axis Foot Size 22	6
E61cup-23	Plastic Cup for Single Axis Foot Size 23	6
E61cup-24	Plastic Cup for Single Axis Foot Size 24	6
E61cup-25	Plastic Cup for Single Axis Foot Size 25	6
E61cup-26	Plastic Cup for Single Axis Foot Size 26	6
E61cup-27	Plastic Cup for Single Axis Foot Size 27	6
E61cup-28	Plastic Cup for Single Axis Foot Size 28	6
E61cup-29	Plastic Cup for Single Axis Foot Size 29	6
Stainless Steel Adapters - 100 & 125 Kg Weight Limit		
ITEM CODE	DESCRIPTION	
E01s-M8	Sach foot adapter, M8	24
E01s-M10	Sach foot adapter, M10	24
E02s	4-Hole adapter w/fixed receiver	24
E02s-2	4-Hole adapter w/rotating receiver	24
E02s-2D	4-Hole adapter w/rotating receiver w/teeth	24
E03s	4-Hole adapter w/fixed pyramid	24
E03s-2	4-Hole adapter w/rotating pyramid	24
E03s-4	4-Hole adapter w/fixed pyramid	24
E03s-ECC-A	Eccentric 4-Hole adapter w/ fixed pyramid, axial	24

E03s-ECC-D	Eccentric 4-Hole adapter w/ fixed pyramid, diagonal	24
E04s-Plate	4-Hole clamping plate of E04s	24
E04s-Ps	4-Hole adapter w/rotating pyramid M5*20 screw	24
E04s-Rs	4-Hole adapter w/rotating receiver M5*20 screw	24
E05s-250	Tube assembly, short	24
E05s-400	Tube assembly, long	24
E05s-10D-250	10° Angled tube assembly, short	24
E05s-10D-400	10° Angled tube assembly, long	24
E05s-20D-250	20° Angled tube assembly, short	24
E05s-20D-400	20° Angled tube assembly, long	24
E07s	Tube clamp adapter, regular size	24
E08s	Tube clamp adapter with pyramid	24
E06s-5mm	Tube clamp adapter, with 5mm Offset	24
E06s	Tube clamp adapter, short	24
E07s-10D	10° Angled tube clamp adapter, long	24
E07s-20D	20° Angled tube clamp adapter, long	24
E09s-Body	3-Prong socket adapter	24
E09s-Rs	3-Prong socket adapter w/rotating receiver	24
E09s-Ps	3-Prong socket adapter w/rotating pyramid	24
E09s-Rs-long	3-Prong socket adapter w/rotating long receiver	24
E09s-Ps-long	3-Prong socket adapter w/rotating long pyramid	24
E10s-Body	4-Prong socket adapter	24
E10s-Rs	4-Prong socket adapter w/rotating receiver	24
E10s-Ps	4-Prong socket adapter w/rotating pyramid	24
Rs-short	Rotatable receiver	24
Ps-short	Rotatable pyramid	24
H04s	Rotatable Receiver with M36 Thread	24
H03s	Rotatable pyramid with M36 Thread	24
Rs-long	Rotatable long receiver	24
Ps-long	Rotatable long pyramid	24
E11s	3-Prong socket adapter w/fixed pyramid	24
E12s	4-Prong socket adapter w/center hole	24
E13s	4-Prong socket adapter w/center hole, large	24
E15s-32	Double adapter receiver-receiver, 32 mm	24
E15s-45	Double adapter receiver-receiver, 45 mm	24
E15s-60	Double adapter receiver-receiver, 60 mm	24
E15s-75	Double adapter receiver-receiver, 75 mm	24
E18s	Double adapter pyramid-pyramid	24
E21s-32	Double adapter pyramid-receiver, 32 mm	24
E21s-34	Double adapter pyramid-receiver, 34 mm	24
E21s-45	Double adapter pyramid-receiver, 45 mm	24
E21s-60	Double adapter pyramid-receiver, 60 mm	24
E21s-75	Double adapter pyramid-receiver, 75 mm	24
E30s	Rotating 4-hole adapter w/fixed pyramid	24
E31s	Rotating 4-hole adapter w/fixed receiver	24
E50s(22-25)	Single axis foot adapter, size 22-25	24
E50s(26-30)	Single axis foot adapter, size 26-30	24
E57s-32	Connection adapter w/fixed receiver, 32 mm	24
E57s-60	Connection adapter w/fixed receiver, 60 mm	24

Stainless Steel Adapters - 134 Kg Weight Limit		
ITEM CODE	DESCRIPTION	
Ps-Short-134kg	Rotatable Pyramid, Steel for 134 Kg	24
Rs-Short-134kg	Rotatable Receiver, Steel for 134 Kg	24
E02s-134kg	4-Hole adapter w/fixed receiver,134 kg	24
E03s-134kg	4-Hole adapter w/fixed pyramid,134 kg	24
E03s-4-134kg	4-Hole adapter w/fixed pyramid,134 kg	24
E05s-250-134kg	Tube assembly, short,134 kg	24
E05s-400-134kg	Tube assembly, long,134 kg	24
E07s-134kg	Tube clamp adapter, long,134 kg	24
E09s-Large Body	Large body 3-Prong socket adapter,134 kg	24
E09s-Large Body-Rs	3-Prong socket adapter w/rotating receiver,134 kg,ss	24
E09s-Large Body-Ps	3-Prong socket adapter w/rotating pyramid,134 kg,ss	24
E12s-134 kg	4-Prong socket adapter w/center hole,134 kg	24
Titanium Adapters - 100 & 125 Kg Weight Limit		
ITEM CODE	DESCRIPTION	
E01T-M8	Sach foot adapter, M8	24
E01T-M10	Sach foot adapter, M10	24
E02T	4-Hole adapter w/fixed receiver	24
E02T-2	4-Hole adapter w/rotating receiver	24
E03T	4-Hole adapter w/fixed pyramid	24
E03T-2	4-Hole adapter w/rotating pyramid	24
E03T-4	4-Hole adapter w/fixed pyramid	24
E03T-ECC-A	Eccentric 4-Hole adapter w/ fixed pyramid, axial	24
E03T-ECC-D	Eccentric 4-Hole adapter w/ fixed pyramid, diagonal	24
E04T-Pt	4-Hole adapter w/rotating Pyramid M5*20 screw	24
E04T-Rt	4-Hole adapter w/rotating receiver M5*20 screw	24
E04T-Plate	4-Hole clamping plate of E04s	24
E05T-250	Tube assembly, short	24
E05T-400	Tube assembly, long	24
E05T-10D-250	10° Angled tube assembly, short	24
E05T-10D-400	10° Angled tube assembly, long	24
E05T-20D-250	20° Angled tube assembly, short	24
E05T-20D-400	20° Angled tube assembly, long	24
E06T	Tube clamp adapter, short	24
E06T-5mm	Tube clamp adapter, with 5mm Offset	24
E07T	Tube clamp adapter, long	24
E08T	Tube clamp adapter with pyramid	24
E07T-10D	10° Angled tube clamp adapter, long	24
E07T-20D	20° Angled tube clamp adapter, long	24
E09s-Rt	3-Prong socket adapter w/rotating receiver	24
E09s-Pt	3-Prong socket adapter w/rotating pyramid	24
E09s-Pt-long	3-Prong socket adapter w/rotating long pyramid	24
E09s-Rt-long	3-Prong socket adapter w/rotating long receiver	24
E10s-Rt	4-Prong socket adapter w/rotating receiver	24
E10s-Pt	4-Prong socket adapter w/rotating pyramid	24
Rt-short	Rotatable receiver	24
Pt-short	Rotatable pyramid	24
Rt-long	Rotatable long receiver	24

Pt-long	Rotatable long pyramid	24
H04T	Rotatable receiver with M36 Thread	24
H03T	Rotatable pyramid with M36 Thread	24
E15T-32	Double adapter receiver-receiver, 32 mm	24
E15T-45	Double adapter receiver-receiver, 45 mm	24
E15T-60	Double adapter receiver-receiver, 60 mm	24
E15T-75	Double adapter receiver-receiver, 75 mm	24
E18T	Double adapter pyramid-pyramid	24
E21T-32	Double adapter pyramid-receiver, 32 mm	24
E21T-34	Double adapter pyramid-receiver, 34 mm	24
E21T-45	Double adapter pyramid-receiver, 45 mm	24
E21T-60	Double adapter pyramid-receiver, 60 mm	24
E21T-75	Double adapter pyramid-receiver, 75 mm	24
E30T	Rotating 4-hole adapter w/fixd pyramid	24
E31T	Rotating 4-hole adapter w/fixd receiver	24
E50T(22-25)	Single axis foot adapter, size 22-25	24
E50T(26-30)	Single axis foot adapter, size 26-30	24
E57T-32	Connection adapter w/fixd receiver, 32 mm	24
E57T-60	Connection adapter w/fixd receiver, 60 mm	24
Titanium Adapters - 134 Kg Weight Limit		
ITEM CODE	DESCRIPTION	
E02T-134kg	4-Hole adapter w/fixd receiver-134kg	24
E03T-134kg	4-Hole adapter w/fixd pyramid-134kg	24
E03T-4-134kg	4-Hole adapter w/fixd pyramid-134 kg	24
E05T-250-134kg	Tube assembly, short-134 kg	24
E05T-400-134kg	Tube assembly, long-134 kg	24
E07T-134kg	Tube clamp adapter, long-134 kg	24
E12T	4-Prong socket adapter w/center hole,134 kg	24
S. Steel & Titanium Adapters - 34mm Diameter		
ITEM CODE	DESCRIPTION	
E05s-250-Dia34	34mm Diameter Tube assembly, short, Steel	24
E05s-400-Dia34	34mm Diameter Tube assembly, long, Steel	24
E05T-250-Dia34	34mm Diameter Tube assembly, short, Titanium	24
E05T-400-Dia34	34mm Diameter Tube assembly, long, Titanium	24
E07s-Dia34	Tube Clamp Adapter Dia 34mm, Steel	24
E07T-Dia34	Tube Clamp Adapter Dia 34mm, Titanium	24
Aluminum Adapters		
ITEM CODE	DESCRIPTION	
E01AI-M8	Sach foot adapter, M8 "with Titanium Pyramid"	24
E01AI-M10	Sach foot adapter, M10 "with Titanium Pyramid"	24
E02AI	4-Hole adapter w/fixd receiver	24
E03AI	4-Hole adapter w/fixd pyramid "with Titanium Pyramid"	24
E04AI	4-Hole adapter w/rotating receiver M5*20 screw	24
E05AL-250	Tube assembly, short	24
E05AL-400	Tube assembly, long	24
E07AI	Tube clamp adapter, long	24
E12AI	4-Prong socket adapter w/center hole "with Titanium Pyramid"	24
E15AI-32	Double adapter receiver-receiver, 32 mm	24
E15AI-45	Double adapter receiver-receiver, 45 mm	24
E15AI-60	Double adapter receiver-receiver, 60 mm	24

E15AI-75	Double adapter receiver-receiver, 75 mm	24
E18AI	Double adapter pyramid-pyramid " with Titanium Pyramid "	24
Sliding & Rotating Adapters - S.Steel & Titanium		
ITEM CODE	DESCRIPTION	
E33s	Tube Clamp Adapter Slide,Steel	24
E34s	Double Receiver Slide Adapter ,Steel	24
E35s	Rotating and Sliding Adjustment Adapter, with Pyramid	24
E36s	Rotating and Sliding Adjustment Adapter, with Receiver	24
E33T	Tube Clamp Adapter Slide,Ti	24
E34T	Double Receiver Slide Adapter ,Ti	24
E35T	Rotating and Sliding Adjustment Adapter, with Pyramid, Ti	24
E36T	Rotating and Sliding Adjustment Adapter, with Receiver, Ti	24
E35s-P	Rotating and Sliding Adapter, with Pyramid & 4-hole Plate, Steel	24
E36s-P	Rotating and Sliding Adapter, with Receiver & 4-hole Plate, Steel	24
E35s-3P	Rotating and Sliding Adapter, with Pyramid & 3-Prong Adapt.	24
E35s-4P	Rotating and Sliding Adapter, with Pyramid & 4-Prong Adapt.	24
E36s-3P	Rotating and Sliding Adapter, with Receiver & 3-Prong Adapt.	24
E36s-4P	Rotating and Sliding Adapter, with Receiver & 4-Prong Adapt.	24
E35T-3P	Rotating and Sliding Adapter, with Pyramid & 3-Prong Adapt. Ti	24
E35T-4P	Rotating and Sliding Adapter, with Pyramid & 4-Prong Adapt. Ti	24
E36T-3P	Rotating and Sliding Adapter, with Receiver & 3-Prong Adapt. Ti	24
E36T-4P	Rotating and Sliding Adapter, with Receiver & 4-Prong Adapt. Ti	24
E35T-P	Rotating and Sliding Adapter, with Pyramid & 4-hole Plate, Ti	24
E36T-P	Rotating and Sliding Adapter, with Receiver & 4-hole Plate, Ti	24
Socket Attachment Blocks		
ITEM CODE	DESCRIPTION	
E20 thick	Socket attachment block, thick	24
E20 thin	Socket attachment block, thin	24
E19-75	Plastic socket attachment block, 75 mm	12
E19-80	Plastic socket attachment block, 80 mm	12
E19-85	Plastic socket attachment block, 85 mm	12
E19-90	Plastic socket attachment block, 90 mm	12
E90 sanis	Sanis	24
E91-66	Thermoplastic sockets attachment ,66 mm	12
E91-78	Thermoplastic sockets attachment ,78 mm	12
E91-88	Thermoplastic sockets attachment ,88 mm	12
E92	4-Hole Laminating Plate	12
Knee Joint & Accessories		
ITEM CODE	DESCRIPTION	
PN-100	4-Bar Pneumatic Knee Joint	24
PN-200A	4-Bar Pneumatic Knee Joint, with Pyramid	24
PN-200B	4-Bar Pneumatic Knee Joint, with M36 Adapter	24
PN-200 Pyramid Con.	Pyramid Adapter for PN-200	24
PN-200 M36 Con.	M36 Adapter for PN-200	24
E44-A	4-Bar Polycentric Knee Joint with Sliding Head, Extension and Lock Option	24
E44-B	4-Bar Polycentric Knee Joint with Sliding Head, Extension and Lock Option	24
E44-C	4-Bar Polycentric Knee Joint with Sliding Head, Extension and Lock Option	24
E44 Pyramid Con.	Pyramid Adapter for E44	24
E44 M36 Con.	M36 Adapter for E44	24
E44 One Prong Con.	One Prong Connection Adapter for E44	24

E84	Single Axis Knee with Friction (Brake), Extension and Lock Option	24
E86	Aluminum 4-Bar Polycentric Knee with Extension Mechanism	24
E88	Hip Joint with Extension Mechanism	24
E40	Single axis knee w/lock and rot. pyramid, centered wire	24
E41	Single axis knee w/manual lock with wire & Pyramid, waterproof	24
E41-A	Single axis knee w/manual lock with wire & M36, waterproof	24
E41-B	Single axis knee w/manual lock with wire & Prong, waterproof	24
E41-Body	Single axis knee,body	24
E41-Adapter	Adapter for E41 knee	24
E41-Pyramid	Lamination anchor	24
E41-one prong	Fixing part of lamination anchor for E41 knee	24
E41 Prong Connection	Prong connection for E41 Knee	24
E41-wire	wire for E41 knee	12
E42s	Single axis friction knee, steel	24
E42T	Single axis friction knee, titanium	24
E42-EXT	Extension assist w/plastic cover w/wire	12
E43s	Single axis knee joint w/manual lock, steel	24
E43T	Single axis knee joint w/manual lock, titanium	24
E45s	Disarticulation knee, steel	12
E45T	Disarticulation knee, titanium	12
E46s	Disarticulation knee w/manual lock, steel	12
E48	Single axis knee w/lock and rot. pyramid w/sided wire	24
E49AI	Single axis knee Joint with manual Lock, " with Titanium Pyramid "	24
E53s	Polycentric (4-Linkage) Knee Joint, Steel	24
E53s-D	Polycentric (4-Linkage) Knee Joint, Steel, With Socket Adapter	24
E53s-L	Polycentric (4-Linkage) Knee Joint, Steel, With Prong Adapter	24
E53T	Polycentric (4-Linkage) Knee Joint, Titanium	24
ROT	Knee Rotation Adapter	18
E37s	M36 Thread with Pyramid Receiver, Steel	24
E37T	M36 Thread with Pyramid Receiver, Titanium	24
Silicone & Gel Liners		
ITEM CODE	DESCRIPTION	
SL-10-18	Silicone Liner with Distal Attachment Size 18	6
SL-10-20	Silicone Liner with Distal Attachment Size 20	6
SL-10-21	Silicone Liner with Distal Attachment Size 21	6
SL-10-22	Silicone Liner with Distal Attachment Size 22	6
SL-10-23,5	Silicone Liner with Distal Attachment Size 23,5	6
SL-10-25	Silicone Liner with Distal Attachment Size 25	6
SL-10-26,5	Silicone Liner with Distal Attachment Size 26,5	6
SL-10-28	Silicone Liner with Distal Attachment Size 28	6
SL-10-30	Silicone Liner with Distal Attachment Size 30	6
SL-10-32	Silicone Liner with Distal Attachment Size 32	6
SL-10-34	Silicone Liner with Distal Attachment Size 34	6
SL-10-36	Silicone Liner with Distal Attachment Size 36	6
SL-10-38	Silicone Liner with Distal Attachment Size 38	6
SL-10-40	Silicone Liner with Distal Attachment Size 40	6
SL-10-42	Silicone Liner with Distal Attachment Size 42	6
SL-10-45	Silicone Liner with Distal Attachment Size 45	6
SL-18	Silicone Liner without Distal Attachment Size 18	6
SL-20	Silicone Liner without Distal Attachment Size 20	6

SL-21	Silicone Liner without Distal Attachment Size 21	6
SL-22	Silicone Liner without Distal Attachment Size 22	6
SL-23,5	Silicone Liner without Distal Attachment Size 23,5	6
SL-25	Silicone Liner without Distal Attachment Size 25	6
SL-26,5	Silicone Liner without Distal Attachment Size 26,5	6
SL-28	Silicone Liner without Distal Attachment Size 28	6
SL-30	Silicone Liner without Distal Attachment Size 30	6
SL-32	Silicone Liner without Distal Attachment Size 32	6
SL-34	Silicone Liner without Distal Attachment Size 34	6
SL-36	Silicone Liner without Distal Attachment Size 36	6
SL-38	Silicone Liner without Distal Attachment Size 38	6
SL-16-20	Silicone Liner with Distal Attachment Size 20 Thickness 6	6
SL-16-22	Silicone Liner with Distal Attachment Size 22 Thickness 6	6
SL-16-23,5	Silicone Liner with Distal Attachment Size 23,5 Thickness 6	6
SL-16-25	Silicone Liner with Distal Attachment Size 25 Thickness 6	6
SL-16-26,5	Silicone Liner with Distal Attachment Size 26,5 Thickness 6	6
SL-16-28	Silicone Liner with Distal Attachment Size 28 Thickness 6	6
SL-16-30	Silicone Liner with Distal Attachment Size 30 Thickness 6	6
SL-16-32	Silicone Liner with Distal Attachment Size 32 Thickness 6	6
SL-16-34	Silicone Liner with Distal Attachment Size 34 Thickness 6	6
SL-16-36	Silicone Liner with Distal Attachment Size 36 Thickness 6	6
SL-16-40	Silicone Liner with Distal Attachment Size 40 Thickness 6	6
SL-16-45	Silicone Liner with Distal Attachment Size 45 Thickness 6	6
SL-06-20	Silicone Liner without Distal Attachment Size 20 Thickness 6	6
SL-06-22	Silicone Liner without Distal Attachment Size 22 Thickness 6	6
SL-06-23,5	Silicone Liner without Distal Attachment Size 23,5 Thickness 6	6
SL-06-25	Silicone Liner without Distal Attachment Size 25 Thickness 6	6
SL-06-26,5	Silicone Liner without Distal Attachment Size 26,5 Thickness 6	6
SL-06-28	Silicone Liner without Distal Attachment Size 28 Thickness 6	6
SL-06-30	Silicone Liner without Distal Attachment Size 30 Thickness 6	6
SL-06-32	Silicone Liner without Distal Attachment Size 32 Thickness 6	6
SL-06-34	Silicone Liner without Distal Attachment Size 34 Thickness 6	6
SL-06-36	Silicone Liner without Distal Attachment Size 36 Thickness 6	6
GL-S-6-10	Gel Liner with Distal Attachment Size S	6
GL-M-6-10	Gel Liner with Distal Attachment Size M	6
GL-L-6-10	Gel Liner with Distal Attachment Size L	6
GL-XL-6-10	Gel Liner with Distal Attachment Size XL	6
GL-S-6	Gel Liner without Distal Attachment Size S	6
GL-M-6	Gel Liner without Distal Attachment Size M	6
GL-L-6	Gel Liner without Distal Attachment Size L	6
GL-XL-6	Gel Liner without Distal Attachment Size XL	6
KP-S	Gel Sleeve Size S	6
KP-M	Gel Sleeve Size M	6
KP-MP	Gel Sleeve Size MP	6
KP-L	Gel Sleeve Size L	6
KP-LP	Gel Sleeve Size LP	6
KM-S	Gel Preflexed Sleeve Size S	6
KM-M	Gel Preflexed Sleeve Size M	6
KM-L	Gel Preflexed Sleeve Size L	6
KM-XL	Gel Preflexed Sleeve Size XL	6

Lock Systems & Valves		
ITEM CODE	DESCRIPTION	
E70-Body	Lock w/pyramid, aluminum	18
E70-Kit	Lock w/pyramid, aluminum, kit with 4 Prong Ad.	18
E70-09-Kit	Lock w/pyramid, aluminum, kit with 3 Prong Ad.	18
E71-Body	Lock w/receiver, aluminum	18
E71-Kit	Lock w/receiver, aluminum, kit with 4 Prong Ad.	18
E71-09-Kit	Lock w/receiver, aluminum, kit with 3 Prong Ad.	18
E70-Gear	Gear Mechanism for E70 and E71 Locks	18
E70-Pin	Pin for E70 and E71 Locks	18
SL-Kit	Dummy Kit for E70 and E71 Locks	6
E72-50	Delrin Shuttle Lock Size 50mm	12
E72-50 Dummy Kit	Dummy Kit for E72-50	6
E72-36	Delrin Shuttle Lock Size 36mm	12
E73-Disk	Lamination disk of E73	18
E73-Body	Shuttle lock body of E73	18
E73-Kit	Combination of disc and shuttle lock body of E73	18
E73-Pin	Pin for E73 Lock	18
E74	Shuttle Lock for Laminating inside of the Socket	18
E74-Pin	Pin for E74 Lock	18
E74-Dummy Kit	Dummy Kit for E74 Lock	6
E75	Cylindrical Shuttle Lock	6
E76	Shuttle Lock with Hexagon Nut and Pin	6
VAC-60-30	Active Vacuum Unit for Dia. 30mm Tube Weight Limit 60 Kg	18
VAC-75-30	Active Vacuum Unit for Dia. 30mm Tube Weight Limit 75 Kg	18
VAC-100-30	Active Vacuum Unit for Dia. 30mm Tube Weight Limit 100Kg	18
VAC-125-34	Active Vacuum Unit for Dia. 34mm Tube Weight Limit 125Kg	18
VAC-60-RR	Active Vacuum Unit Receiver-Receiver Weight Limit 60 Kg	18
VAC-75-RR	Active Vacuum Unit Receiver-Receiver Weight Limit 75 Kg	18
VAC-100-RR	Active Vacuum Unit Receiver-Receiver Weight Limit 100 Kg	18
Vac-200	Automatic Flat Rubber Valve	6
Vac-200-Ext	Connection Tube with Seat Ring	6
Vac-300	One-way Valve with Aluminium Body	12
EPS-Valve	One-way Valve with Aluminium Body with Button	12
AKS-Valve	One-way Valve with Aluminium Body with Button for TF	12
Components for Children		
E60-14L	Sach Foot Size 14 Left	6
E60-14R	Sach Foot Size 14 Right	6
E60-15L	Sach Foot Size 15 Left	6
E60-15R	Sach Foot Size 15 Right	6
E60-16L	Sach Foot Size 16 Left	6
E60-16R	Sach Foot Size 16 Right	6
E60-17L	Sach Foot Size 17 Left	6
E60-17R	Sach Foot Size 17 Right	6
E60-18L	Sach Foot Size 18 Left	6
E60-18R	Sach Foot Size 18 Right	6
E60-19L	Sach Foot Size 19 Left	6
E60-19R	Sach Foot Size 19 Right	6
E60-20L	Sach Foot Size 20 Left	6
E60-20R	Sach Foot Size 20 Right	6

E60-21L	Sach Foot Size 21 Left	6
E60-21R	Sach Foot Size 21 Right	6
E01AI-C	Aluminum Sach Foot Adapter for Child	24
E05AI-C	Aluminum Tube Adapter for Child	24
E07AI-C	Aluminum Tube Clamp Adapter for Child	24
E12AI-C	Aluminum Socket Adapter for Child	24
E02AI-C	Aluminum Socket Adapter with 4 Screws for Child	24
E20-C	Socket Attachment Block for Child	24
E80	Single Axis Knee Joint with Manual Lock for Child	12
E81	Single Axis Knee Joint with Adjustable Extension for Child	12
Foam Covers		
ITEM CODE	DESCRIPTION	
E66-36L-A	AK Foam Cover Size 36 Left Type A	6
E66-36R-A	AK Foam Cover Size 36 Right Type A	6
E66-40L-A	AK Foam Cover Size 40 Left Type A	6
E66-40R-A	AK Foam Cover Size 40 Right Type A	6
E66-44L-A	AK Foam Cover Size 44 Left Type A	6
E66-44R-A	AK Foam Cover Size 44 Right Type A	6
E66-36L-B	AK Foam Cover Size 36 Left Type B	6
E66-36R-B	AK Foam Cover Size 36 Right Type B	6
E66-40L-B	AK Foam Cover Size 40 Left Type B	6
E66-40R-B	AK Foam Cover Size 40 Right Type B	6
E66-44L-B	AK Foam Cover Size 44 Left Type B	6
E66-44R-B	AK Foam Cover Size 44 Right Type B	6
E66-36L-C	AK Foam Cover Size 36 Left Type C	6
E66-36R-C	AK Foam Cover Size 36 Right Type C	6
E66-40L-C	AK Foam Cover Size 40 Left Type C	6
E66-40R-C	AK Foam Cover Size 40 Right Type C	6
E66-44L-C	AK Foam Cover Size 44 Left Type C	6
E66-44R-C	AK Foam Cover Size 44 Right TypeC	6
E66c	AK Foam Cover for Children	6
E65	Plastozot foam cover	6
E67	BK foam cover	6
E67c	BK foam cover for Children	6
E68-36L	DK Foam Cover Size 36 Left	6
E68-36R	DK Foam Cover Size 36 Right	6
E68-40L	DK Foam Cover Size 40 Left	6
E68-40R	DK Foam Cover Size 40 Right	6
E68-44L	DK Foam Cover Size 44 Left	6
E68-44R	DK Foam Cover size 44 Right	6
E69-L	Preshaped Hard Plastazot Left	6
E69-R	Preshaped Hard Plastazot Right	6

Materials		
ITEM CODE	DESCRIPTION	
PO-3	Polyform 3 mm 1850 x 1150 mm	6
PO-4	Polyform 4 mm 1850 x 1150 mm	6
PO-5	Polyform 5 mm 1850 x 1150 mm	6
PO-6	Polyform 6 mm 1850 x 1150 mm	6
PL-3	Plastazote 3 mm 2000 x 1400 mm	6
PL-6	Plastazote 6 mm 2000 x 1400 mm	6
PL-12	Plastazote 12 mm 2000 x 1400 mm	6
MULTI-A-2	EVA Pad - A Type - 2 mm - 1250 x 850 mm	6
MULTI-A-4	EVA Pad - A Type - 4 mm - 1250 x 850 mm	6
MULTI-B-2	EVA Pad - B Type - 2 mm - 1250 x 850 mm	6
MULTI-B-4	EVA Pad - B Type - 4 mm - 1250 x 850 mm	6
PE-2	Polyethylene Plate - 2 mm - 2000 x 1000 mm	6
PE-3	Polyethylene Plate - 3 mm - 2000 x 1000 mm	6
PE-4	Polyethylene Plate - 4 mm - 2000 x 1000 mm	6
PE-5	Polyethylene Plate - 5 mm - 2000 x 1000 mm	6
PP-2	Polypropylene Plate - 2 mm - 2000 x 1000 mm	6
PP-3	Polypropylene Plate - 3 mm - 2000 x 1000 mm	6
PP-4	Polypropylene Plate - 4 mm - 2000 x 1000 mm	6
PP-5	Polypropylene Plate - 5 mm - 2000 x 1000 mm	6
PT-10	Check Socket Plate - 10 mm - 400 x 400 mm	6
PT-12	Check Socket Plate - 12 mm - 400 x 400 mm	6
PT-15	Check Socket Plate - 15 mm - 400 x 400 mm	6
PF-10	Flex Soft Socket Plate - 10 mm - 400 x 400 mm	6
PF-12	Flex Soft Socket Plate - 12 mm - 400 x 400 mm	6
PF-15	Flex Soft Socket Plate - 15 mm - 400 x 400 mm	6
CF-F	Carbon Fiber Fabric - 1000 mm x 2000 mm	12
CF-R	Carbon Fiber Thread - 500 gr	12
PVA-10	PVA Bag - 10 cm - 10 pieces	6
PVA-15	PVA Bag - 15 cm - 10 pieces	6
PVA-20	PVA Bag - 20 cm - 10 pieces	6
PVA-25	PVA Bag - 25 cm - 10 pieces	6
PVA-30	PVA Bag - 30 cm - 10 pieces	6
PVA-35	PVA Bag - 35 cm - 10 pieces	6
PVA-ROLL	PVA Roll - 1000 mm x 50 meter	6
Materials : Resin & Hardeners		
ITEM CODE	DESCRIPTION	
MV-R1	Rigid (Hard) Lamination Resin - 0,9 Kg	12
MV-R5	Rigid (Hard) Lamination Resin - 4,6 Kg	12
MV-C1	Carbon Lamination Resin - 0,9 Kg	12
MV-C5	Carbon Lamination Resin - 4,6 Kg	12
MV-S1	Sealing Lamination Resin - 0,9 Kg	12
MV-S5	Sealing Lamination Resin - 4,6 Kg	12
MV-F1	Flexible Lamination Resin - 0,9 Kg	12

MV-F5	Flexible Lamination Resin - 4,6 Kg	12
MH-15	Hardener for Lamination - 0,15 Kg	12
MH-50	Hardener for Lamination - 0,5 Kg	12
MP-SKIN	Skin Color Pigment - 250 Gr	12
MP-BLUE	Blue Color Pigment - 250 Gr	12
MP-BLACK	Black Color Pigment - 250 Gr	12
MP-RED	Red Color Pigment - 250 Gr	12
MF-302	PUR Foam - 2 KG	12
MF-305	PUR Foam - 5 KG	12
MFH-2	Hardener for PUR Foam - 2KG	12
MFH-5	Hardener for PUR Foam - 5KG	12
Materials : Stockinettes - Transfer Papers - Stump Socks		
ITEM CODE	DESCRIPTION	
M01-4	Perlon Stockinette 4 cm Diameter	12
M01-6	Perlon Stockinette 6 cm Diameter	12
M01-8	Perlon Stockinette 8 cm Diameter	12
M01-10	Perlon Stockinette 10 cm Diameter	12
M01-12	Perlon Stockinette 12 cm Diameter	12
M01-15	Perlon Stockinette 15 cm Diameter	12
M01-20	Perlon Stockinette 20 cm Diameter	12
M02-35	Stump Sock with Pin Hole 35 cm Length	6
M02-50	Stump Sock with Pin Hole 50 cm Length	6
M03-35	Stump Sock without Pin Hole 35 cm Length	6
M03-50	Stump Sock without Pin Hole 50 cm Length	6
M04-4	Nylon Stockinette 4 cm Diameter	12
M04-6	Nylon Stockinette 6 cm Diameter	12
M04-8	Nylon Stockinette 8 cm Diameter	12
M04-10	Nylon Stockinette 10 cm Diameter	12
M04-12	Nylon Stockinette 12 cm Diameter	12
M04-15	Nylon Stockinette 15 cm Diameter	12
M04-20	Nylon Stockinette 20 cm Diameter	12
M05-A	Stump Sock for AK - 40 cm - with Pin Hole	6
M05-B	Stump Sock for AK - 40 cm - without Pin Hole	6
M06-AK	Cosmetic Sock - AK Type	6
M06-BK	Cosmetic Sock - BK Type	6
TF-1	Transfer Paper - Type 1 - 150 cm x 10 meter	6
TF-2	Transfer Paper - Type 2 - 150 cm x 10 meter	6
TF-3	Transfer Paper - Type 3 - 150 cm x 10 meter	6
TF-4	Transfer Paper - Type 4 - 150 cm x 10 meter	6

Upper Limb Components		
ITEM CODE	DESCRIPTION	
HD1-SL	Mechanical Hand - Size S - Left	12
HD1-SR	Mechanical Hand - Size S - Right	12
HD1-LL	Mechanical Hand - Size L - Left	12
HD1-LR	Mechanical Hand - Size L - Right	12
HD2-SL	Hand Cover - Size S - Left	6
HD2-SR	Hand Cover - Size S - Right	6
HD2-ML	Hand Cover - Size M - Left	6
HD2-MR	Hand Cover - Size M - Right	6
HD2-LL	Hand Cover - Size L - Left	6
HD2-LR	Hand Cover Size L - Right	6
HD3-42	Wrist Connector - 42 mm	12
HD3-50	Wrist Connector - 50 mm	12
HD4-L	Elbow Component Kit - Left	12
HD4-R	Elbow Component Kit - Right	12
HD5-L	Shoulder Elbow Component Kit - Left	12
HD5-R	Shoulder Elbow Component Kit - Right	12
HD6	Mechanical Elbow Joint	12
SLH-10-12	Silicone Liner for Upper Extremity - Size 12	6
SLH-10-14	Silicone Liner for Upper Extremity - Size 14	6
SLH-10-16	Silicone Liner for Upper Extremity - Size 16	6
SLH-10-18	Silicone Liner for Upper Extremity - Size 18	6
SLH-10-20	Silicone Liner for Upper Extremity - Size 20	6
HD-FOAM	Foam Cover for Upper Extremity	6
HD-HARNESS1	Above Elbow Harness Kit	6
HD-HARNESS2	Below Elbow Harness Kit	6
Orthotic Components - 16mm Width		
OKJ110-10-16 L/R	Type-10, Knee Joint with Bale Lock & Spring 16 mm Width	12
OKJ110-20-16 L/R	Type-20, Knee Joint with Bale Lock & Spring 16 mm Width	12
OKJ110-30-16 L/R	Type-30, Knee Joint with Bale Lock & Spring 16 mm Width	12
OKJ120-10-16 L/R	Type-10, Knee Joint with Bale Lock 16 mm Width	12
OKJ120-20-16 L/R	Type-20, Knee Joint with Bale Lock 16 mm Width	12
OKJ120-30-16 L/R	Type-30, Knee Joint with Bale Lock 16 mm Width	12
OKJ130-10-16 L/R	Type-10, Knee Joint with Bale Lock 16 mm Width	12
OKJ130-20-16 L/R	Type-20, Knee Joint with Bale Lock 16 mm Width	12
OKJ130-30-16 L/R	Type-30, Knee Joint with Bale Lock 16 mm Width	12
OKJ140-10-16 L/R	Type-10, Knee Joint with Ring Lock 16 mm Width	12
OKJ140-20-16 L/R	Type-20, Knee Joint with Ring Lock 16 mm Width	12
OKJ140-30-16 L/R	Type-30, Knee Joint with Ring Lock 16 mm Width	12
OLB110-16	Lateral Bar Set 16mm Width	12
OLB110-16AL	Lateral Bar Set 16mm Width, Aluminum	12
OLB120-16	Side Bar Set for Carbon Orthosis 16 mm Width	12
OAJ110-10-16 L/R	Type-10, Ankle Joint 16 mm Width	12
OAJ110-20-16 L/R	Type-20, Ankle Joint 16 mm Width	12
OAJ110-30-16 L/R	Type-30, Ankle Joint 16 mm Width	12
OAJ120-16	Foot Stirrup 16 mm	12
OAJ130-16	Foot Stirrup 16 mm Short Type	12

Orthotic Components - 20mm Width		
OKJ110-10-20 L/R	Type-10, Knee Joint with Bale Lock & Spring 20 mm Width	12
OKJ110-20-20 L/R	Type-20, Knee Joint with Bale Lock & Spring 20 mm Width	12
OKJ110-30-20 L/R	Type-30, Knee Joint with Bale Lock & Spring 20 mm Width	12
OKJ120-10-20 L/R	Type-10, Knee Joint with Bale Lock 20 mm Width	12
OKJ120-20-20 L/R	Type-20, Knee Joint with Bale Lock 20 mm Width	12
OKJ120-30-20 L/R	Type-30, Knee Joint with Bale Lock 20 mm Width	12
OKJ130-10-20 L/R	Type-10, Knee Joint with Bale Lock 20 mm Width	12
OKJ130-20-20 L/R	Type-20, Knee Joint with Bale Lock 20 mm Width	12
OKJ130-30-20 L/R	Type-30, Knee Joint with Bale Lock 20 mm Width	12
OKJ140-10-20 L/R	Type-10, Knee Joint with Ring Lock 20 mm Width	12
OKJ140-20-20 L/R	Type-20, Knee Joint with Ring Lock 20 mm Width	12
OKJ140-30-20 L/R	Type-30, Knee Joint with Ring Lock 20 mm Width	12
OLB110-20	Lateral Bar Set 20mm Width	12
OLB110-20AL	Lateral Bar Set 20mm Width, Aluminum	12
OLB120-20	Side Bar Set for Carbon Orthosis 20 mm Width	12
OAJ110-10-20 L/R	Type-10, Ankle Joint 20 mm Width	12
OAJ110-20-20 L/R	Type-20, Ankle Joint 20 mm Width	12
OAJ110-30-20 L/R	Type-30, Ankle Joint 20 mm Width	12
OAJ120-20	Foot Stirrup 20 mm	12
OAJ130-20	Foot Stirrup 20 mm Short Type	12
Miscellaneous Products		
ITEM CODE	DESCRIPTION	
HJ-100	Hip Joint - Big size	12
HJ-200	Hip Joint - Small Size	12
AL350	Aluminum tube, 350 mm, 100 kg weight limit	12
AL400	Aluminum tube, 400 mm, 100 kg weight limit	12
AL450	Aluminum tube, 450 mm, 100 kg weight limit	12
AL500	Aluminum tube, 500 mm, 100 kg weight limit	12
AL400-Dia34	Aluminum tube, 400 mm, 134 kg weight limit, Dia.34mm	12
AL250-Dia34	Aluminum tube, 250 mm, 134 kg weight limit, Dia.34mm	12
E58	Interim AK Socket Adapter	12